Cirugía Guiada

Aboul-Hosn Centenero S, Hernández-Alfaro F
3D planning in orthognathic surgery: CAD/CAM surgical splints and prediction of the soft and hard tissues results - our experience in 16 cases. J Craniomaxillofac Surg [Internet]. 2012 Feb [cited 2014 Oct 7];40(2):162–8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/21458285

Baker SB, Goldstein JA, Seruya M.
Outcomes in computer-assisted surgical simulation for orthognathic surgery. J Craniofac Surg [Internet]. 2012 Mar [cited 2014 Oct 25];23(2):509–13. Available from: http://www.ncbi.nlm.nih.gov/pubmed/22421859

Barbenel JC, Paul PE, Khambay BS, Walker FS, Moos KF, Ayoub AF.
Errors in orthognathic surgery planning: The effect of inaccurate study model orientation. Int J Oral Maxillofac Surg. 2010;39(11):1103–8.

Bell RB.
Computer planning and intraoperative navigation in orthognathic surgery. J Oral Maxillofac Surg [Internet]. 2011 Mar [cited 2014 Oct 5];69(3):592–605. Available from: http://www.ncbi.nlm.nih.gov/pubmed/21353924

Clercq C De, Abeloos J.
Temporomandibular joint symptoms in an orthognathic surgery population. … -Maxillofacial Surg [Internet]. 1995 [cited 2014 May 14]; Available from: http://www.sciencedirect.com/science/article/pii/S1010518205800101

Eckhardt CE, Cunningham SJ.
How predictable is orthognathic surgery? Eur J Orthod. 2004;26(3):303–9.

Farias-Neto A, Dias AHM, de Miranda BFS, de Oliveira AR.
Face-bow transfer in prosthodontics: A systematic review of the literature. Journal of Oral Rehabilitation. 2013. p. 686–92.

Farrell BB, Franco PB, Tucker MR.
Virtual Surgical Planning in Orthognathic Surgery. Oral Maxillofac Surg Clin North Am [Internet]. 2014 Sep 19 [cited 2014 Oct 5]; Available from: http://www.ncbi.nlm.nih.gov/pubmed/25246324

Ferrario VF, Sforza C, Serrao G, Schmitz JH.
Three-dimensional assessment of the reliability of a postural face-bow transfer. J Prosthet Dent. 2002;87(2):210–5.

Gateno J, Xia JJ, Teichgraeber JF.
New Methods to Evaluate Craniofacial Deformity and to Plan Surgical Correction. Semin Orthod [Internet]. 2011 Sep 1 [cited 2014 Oct 25];17(3):225–34. Available from: http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3172968&tool=pmcentrez&rendertype=abstract

Hueto-Madrid J a., Gutierrez-Santamaria J.
Complicaciones quirúrgicas de la cirugía ortognática: presentación de tres casos y revisión de la literatura. Rev Española Cirugía Oral y Maxilofac [Internet]. 2012 Apr [cited 2014 May 14];34(2):56–74. Available from: http://www.sciencedirect.com/science/article/pii/S113005581100075X

Iorio ML, Masden D, Blake CA, Baker SB.
Presurgical planning and time efficiency in orthognathic surgery: the use of computer-assisted surgical simulation. Plast Reconstr Surg [Internet]. 2011 Sep [cited 2014 Oct 25];128(3):179e – 181e. Available from: http://www.ncbi.nlm.nih.gov/pubmed/21865991

J. Rubio-Palau H-MJ.
Planificación 3D en cirugía ortognática Artículo original.
Rev Española Ortod. 2012;(42):17–21.

Jacobson A.
Planning for orthognathic surgery--art or science? Int J Adult Orthodon Orthognath Surg. 1990;5(4):217–24.

Kang S-H, Kim M-K, You T-K, Lee J-Y.
Modification of Planned Postoperative Occlusion in Orthognathic Surgery, Based on Computer-Aided Design/Computer-Aided Manufacturing-Engineered Preoperative Surgical Simulation. J Oral Maxillofac Surg [Internet]. 2014 Jul 30 [cited 2014 Oct 25]; Available from: http://www.ncbi.nlm.nih.gov/pubmed/25315304

Lagunas J, Madrid J, Martín G.
Incisiones verticales en SARPE. Rev Esp Cir Oral y Maxilofac [Internet]. 2005 [cited 2014 May 14];3:151–4. Available from: http://scielo.isciii.es/pdf/maxi/v27n3/en_caso2.pdf

Marchetti C, Bianchi A, Muyldermans L, Di Martino M, Lancellotti L, Sarti A.
Validation of new soft tissue software in orthognathic surgery planning. Int J Oral Maxillofac Surg. 2011;40(1):26–32.

McCormick SU, Drew SJ.
Virtual model surgery for efficient planning and surgical performance. J Oral Maxillofac Surg [Internet]. 2011 Mar [cited 2014 Oct 25];69(3):638–44. Available from: http://www.sciencedirect.com/science/article/pii/S027823911001503X

Merkx M a, Van Damme P a.
Condylar resorption after orthognathic surgery. Evaluation of treatment in 8 patients. J Craniomaxillofac Surg [Internet]. 1994 Feb;22(1):53–8. Available from: http://www.ncbi.nlm.nih.gov/pubmed/8175999

Nadjmi N, Mollemans W, Daelemans A, Van Hemelen G, Schutyser F, Bergé S.
Virtual occlusion in planning orthognathic surgical procedures. Int J Oral Maxillofac Surg. 2010;39(5):457–62.

Plooij JM, Maal TJJ, Haers P, Borstlap WA, Kuijpers-Jagtman AM, Bergé SJ.
Digital three-dimensional image fusion processes for planning and evaluating orthodontics and orthognathic surgery. A systematic review. Int J Oral Maxillofac Surg. 2011;40(4):341–52

Gateno J, Xia JJ, Teichgraeber JF.
New 3-dimensional cephalometric analysis for orthognathic surgery. J Oral Maxillofac Surg [Internet]. 2011 Mar [cited 2014 Sep 29];69(3):606–22. Available from: http://www.sciencedirect.com/science/article/pii/S0278239110013546

Gateno J, Xia JJ, Teichgraeber JF.
Effect of facial asymmetry on 2-dimensional and 3-dimensional cephalometric measurements. J Oral Maxillofac Surg [Internet]. 2011 Mar [cited 2014 Oct 8];69(3):655–62. Available from: http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3179273&tool=pmcentrez&rendertype=abstract

Gateno J, Xia JJ, Teichgraeber JF, Christensen AM, Lemoine JJ, Liebschner MAK, et al.
Clinical feasibility of computer-aided surgical simulation (CASS) in the treatment of complex cranio-maxillofacial deformities. J Oral Maxillofac Surg [Internet]. 2007 Apr [cited 2014 Oct 30];65(4):728–34. Available from: http://www.sciencedirect.com/science/article/pii/S0278239106004344

Gateno J, Xia J, Teichgraeber JF, Rosen A, Hultgren B, Vadnais T.
The precision of computer-generated surgical splints. J Oral Maxillofac Surg [Internet]. 2003 Jul [cited 2014 Oct 30];61(7):814–7. Available from: http://www.sciencedirect.com/science/article/pii/S0278239103002404

Gelesko S, Markiewicz MR, Weimer K, Bell RB.
Computer-Aided Orthognathic Surgery. Atlas of the Oral and Maxillofacial Surgery Clinics of North America. 2012. p. 107–18.

Ghanai S, Marmulla R, Wiechnik J, Mühling J, Kotrikova B.
Computer-assisted three-dimensional surgical planning: 3D virtual articulator: technical note. Int J Oral Maxillofac Surg. 2010;39(1):75–82.

Gliddon MJ, Xia JJ, Gateno J, Wong HTF, Lasky RE, Teichgraeber JF, et al.
The accuracy of cephalometric tracing superimposition. J Oral Maxillofac Surg [Internet]. 2006 Mar [cited 2014 Oct 30];64(2):194–202. Available from: http://www.sciencedirect.com/science/article/pii/S0278239105016757

Haas Jr OL, Becker OE, de Oliveira RB.
Computer-aided planning in orthognathic surgery-systematic review. Int J Oral Maxillofac Surg [Internet]. 2014 Nov 25 [cited 2015 Feb 8];44(3):329–42. Available from: http://www.sciencedirect.com/science/article/pii/S0901502714004305

Hernández-Alfaro F, Guijarro-Martínez R.
New protocol for three-dimensional surgical planning and CAD/CAM splint generation in orthognathic surgery: An in vitro and in vivo study. Int J Oral Maxillofac Surg. 2013;42(12):1547–56.

Hsu SS-P, Gateno J, Bell RB, Hirsch DL, Markiewicz MR, Teichgraeber JF, et al.
Accuracy of a computer-aided surgical simulation protocol for orthognathic surgery: a prospective multicenter study. J Oral Maxillofac Surg [Internet]. 2013 Jan [cited 2014 Oct 7];71(1):128–42. Available from: http://www.sciencedirect.com/science/article/pii/S0278239112003965

Sharifi A, Jones R, Ayoub A, Moos K, Walker F, Khambay B, et al.
How accurate is model planning for orthognathic surgery? Int J Oral Maxillofac Surg. 2008;37(12):1089–93.

St-john GH.
Orthognatic surgery: patients? Subjective finfings with focus on the temporomandibular joint. J Cranio-Maxillofacial Surg. 1998;26:29–34.

Stokbro K, Aagaard E, Torkov P, Bell RB, Thygesen T.
Virtual planning in orthognathic surgery. Int J Oral Maxillofac Surg. Churchill Livingstone; 2014;43(8):957–65.

Swennen GRJ, Mollemans W, Schutyser F.
Three-Dimensional Treatment Planning of Orthognathic Surgery in the Era of Virtual Imaging. J Oral Maxillofac Surg. 2009;67(10):2080–92.

Swennen GRJ.
Timing of Three-Dimensional Virtual Treatment Planning of Orthognathic Surgery: A Prospective Single-Surgeon Evaluation on 350 Consecutive Cases. Oral Maxillofac Surg Clin North Am [Internet]. 2014 Sep 12 [cited 2014 Oct 8]; Available from: http://www.ncbi.nlm.nih.gov/pubmed/25220754

Walker F, Ayoub AF, Moos KF, Barbenel J.
Face bow and articulator for planning orthognathic surgery: 1 face bow. Br J Oral Maxillofac Surg. 2008;46(7):567–72.

Xia JJ, Gateno J, Teichgraeber JF.
New clinical protocol to evaluate craniomaxillofacial deformity and plan surgical correction. J Oral Maxillofac Surg [Internet]. 2009 Oct [cited 2014 Oct 14];67(10):2093–106. Available from: http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2763487&tool=pmcentrez&rendertype=abstract

Xia JJ, McGrory JK, Gateno J, Teichgraeber JF, Dawson BC, Kennedy KA, et al.
A new method to orient 3-dimensional computed tomography models to the natural head position: a clinical feasibility study. J Oral Maxillofac Surg [Internet]. 2011 Mar [cited 2014 Oct 25];69(3):584–91. Available from: http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3053123&tool=pmcentrez&rendertype=abstract

Xia JJ, Shevchenko L, Gateno J, Teichgraeber JF, Taylor TD, Lasky RE, et al.
Outcome study of computer-aided surgical simulation in the treatment of patients with craniomaxillofacial deformities. J Oral Maxillofac Surg [Internet]. 2011 Jul [cited 2014 Sep 28];69(7):2014–24. Available from: http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3119456&tool=pmcentrez&rendertype=abstract

Xia JJ, Gliddon M, Gateno J, Teichgraeber J, Wong H, Liebschner M.
The accuracy of cephalometric tracing superimposition. J Oral Maxillofac Surg [Internet]. 2003 Aug [cited 2014 Oct 30];61(8):78. Available from: http://www.sciencedirect.com/science/article/pii/S0278239103005986

Yamashita Y, Otsuka T, Shigematsu M, Goto M.
A long-term comparative study of two rigid internal fixation techniques in terms of masticatory function and neurosensory disturbance after mandibular correction by bilateral sagittal split ramus osteotomy. Int J Oral Maxillofac Surg [Internet]. International Association of Oral and Maxillofacial Surgery; 2011 Apr [cited 2014 May 14];40(4):360–5. Available from: http://www.ncbi.nlm.nih.gov/pubmed/21185151

Zinser MJ, Sailer HF, Ritter L, Braumann B, Maegele M, Zöller JE.
A paradigm shift in orthognathic surgery? A comparison of navigation, computer-aided designed/computer-aided manufactured splints, and "classic" intermaxillary splints to surgical transfer of virtual orthognathic planning. J Oral Maxillofac Surg [Internet]. 2013 Dec [cited 2014 Oct 5];71(12):2151.e1–21. Available from: http://www.sciencedirect.com/science/article/pii/S0278239113008719

Zinser MJ, Mischkowski RA, Dreiseidler T, Thamm OC, Rothamel D, Zöller JE.
Computer-assisted orthognathic surgery: Waferless maxillary positioning, versatility, and accuracy of an image-guided visualisation display. Br J Oral Maxillofac Surg. 2013;51(8):827–33.

Zizelmann C, Hammer B, Gellrich NC, Schwestka-Polly R, Rana M, Bucher P.
An evaluation of face-bow transfer for the planning of orthognathic surgery. J Oral Maxillofac Surg. 2012;70(8):1944–50.